

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

ASPHALT REHEAT SYSTEMS

**NEW BLUE FLAME TECHNOLOGY
MAKES COLD JOINTS
NON-EXISTENT!**

FULLY AUTOMATIC HEATERS THAT
EFFICIENTLY HEAT SEAMS TO THE FULL
DEPTH WITHOUT BURNING THE ASPHALT.

WITH THE HEAT THESE PUT OUT THERE'S
NO NEED FOR PRE-HEATERS! FIG. 1



58

FIG. 2

WWW.ASPHALTREREAT.COM


CALL 1-877-4REHEAT OR 608-298-9301 FOR MORE INFO

BLUE FLAME TECHNOLOGY



- LOW PRESSURE, LOW FUEL USE
- LIGHTWEIGHT STAINLESS STEEL BOXES
- EACH HEATER WEIGHS LESS THAN 60 LBS
- VERY LITTLE POWER REQUIRED TO RUN
- NO GENERATORS OR LARGE BATTERIES REQUIRED
- EASILY TRANSPORTABLE
- MAINTAIN JOINT TEMP OF 250 DEGREES AT PAVING SPEEDS OF 50 FEET PER MINUTE WITH NO PRE-HEATERS!

FIG. 3A






FIG. 4




FIG. 5

FIG. 7




FIG. 6




FIG. 7

74